



Vilter Manufacturing LLC
PO Box 8904
Cudahy, WI 53110
T (414) 744-0111
F (414) 744-1769

Emergency Number: (989) 496-3780

Section 1 **Product Name and Information**

Product(Trade Name and Synonyms): Vilter A-68

Chemical Name: Semi-synthetic Hydrocarbon
Chemical Family: Mineral Oil
Formula: Proprietary
CAS#: Proprietary

Section 2 **Components and Hazard Statement**

This product is non-hazardous. The product contains no known carcinogens. No special warning labels are required under OSHA 29 CFR 1910.1200.

Section 3 **Safe Handling and Storage**

Handling. Do not take internally. Avoid contact with skin, eyes, and clothing. Upon contact with skin, wash with soap and water. Flush eyes with water for 15 minutes and consult physician. Wash contaminated clothing before reuse.

Storage. Keep container tightly sealed when not in use.

Section 4 **Physical Data**

Appearance: Colorless liquid
Boiling Point: >500 °F
Vapor Pressure:<0.1 mmHg @20 °C
Specific Gravity(water=1):0.86-0.87
Volatiles, Percent by Volume: 0%
Odor: slight
Solubility in Water: insoluble
Evaporation Rate(butyl acetate=1): Nil

Section 5

Fire and Explosion Hazards

Flash Point (by Cleveland Open Cup): 216-232 °C(420-450 °F)

Flammable Limits: not established

Autoignition Temperature: no data

HMIS Ratings:

Health: 0

Flammability: 1

Reactivity: 0

NFPA Ratings: not established

Extinguishing Media: Dry chemical; CO₂ foam

Unusual Fire and Explosion Hazards: None

Special Fire Fighting Techniques: Burning fluid may evolve irritating/noxious fumes.

Firefighters should use NIOSH/MNSA-approved self-contained breathing apparatus. Use water carefully to cool fire-exposed containers. Spraying water directly on hot or burning liquid may cause frothing or splashing.

Section 6

Reactivity Data

Stability: **Stable**

Hazardous Polymerization: Will not occur

Incompatible Materials: Strong Oxidizers

Conditions to Avoid: Excessive heat

Hazardous Decomposition Products: Analogous compounds evolve carbon monoxide, carbon dioxide, and other unidentified fragments when burned. See Section 5.

Section 7

Health Hazard Data

Threshold Limit Value: 5mg/m³ for oil mist

Situations to Avoid: Avoid breathing oil mists

First Aid Procedures:

Ingestion: DO NOT INDUCE VOMITING. Consult physician at once. DO NOT give anything by mouth if the person is unconscious or having convulsions.

Inhalation: Product is not toxic by inhalation. If oil mist is inhaled, remove to fresh air and consult physician.

Contact: Prolonged exposure may irritate the skin. Wash exposed skin with soap and water.

To the best of our knowledge, the toxicological properties of these compounds have not been fully investigated. Analogous compounds are considered to be essentially non-toxic.

Section 8

Personal Protection Information

Respiratory Protection: Use in well ventilated area

Ventilation: Local exhaust

Protective Gloves: Not required, but recommended, especially for long term exposure

Eye/Face Protection: Goggles

Section 9

Spill or Leak Procedures

In Case of Spill: Wear suitable protective equipment, especially goggles. Stop source of spill. Dike spill area. Use absorbent materials to soak up fluid(i.e. sand, sawdust, or commercially available materials). Wash spill area with large amounts of water. Properly dispose of all materials.

Section 10

Waste Disposal Methods

Incinerate this product and all associated wastes in a licensed facility in accordance with Federal, state, and local regulations.

The information in this material safety data sheet should be provided to all who use, handle, store, transport, or are otherwise exposed to this product. We believe the information in this document to be reliable and up to date as of the date of publication, but makes no guarantee that it is.

1/12